



CleverBox - Automated Parcel Terminal with Drawers

KEY FEATURES

- Unique drawers (patent pending)
- Higher parcel capacity per square meter (up to 55 parcels per 1m²)
- Designed to fit in with modern commercial interiors
- Modular column configuration
- Maximum integration capabilities
- No proactive maintenance required
- Proven technology in live use for 6 years
- Designed to meet the needs of users with disabilities
- Designed with total cost of ownership in mind


CC06

1. Camera
2. 12" Touchscreen
3. Label Printer
4. Touchpad
5. 2D Scanner

** Choice and supply of components to be agreed upon separately*



CleverBox meets the requirements of users with disabilities (e.g. 2010 ADA Standards for Accessible Design and EU Standard EN 301549)



Control console (CC) column doors are left-handed, all other column modules are available in both, right- or left-handed versions.

CleverBox has a modular column system that allows to choose the best drawer/door configuration and layout for the automated parcel terminal.

SPECS

Description	Product Code	Includes						Slots		
		CC	XS	S	M	L	XL	Size	Inner Dimensions HxWxD	Max Load
CC + 10 Drawers + 2 Doors	CC06 + B15.05L	1	10	-	-	2	-	XS (drawer)	1.77" x 14.17" x 20.87" opens 17.72"	11.02 lbs
7 Doors	B05.05 L/R	-	-	3	2	1	1	S	4.72" x 14.17" x 24.41"	33.07 lbs
8 Drawers + 6 Doors	B10.05 L/R	-	8	3	1	2	-	M	7.87" x 14.17" x 24.41"	69.45 lbs
12 Drawers + 5 Doors	B11.05 L/R	-	12	3	-	2	-	L	14.96" x 14.17" x 24.41"	69.45 lbs
8 Doors	B04.05 L/R	-	-	3	3	2	-	XL	23.62 x 14.17 x 24.41"	69.45 lbs

by **CLEVERON**



www.cleveron.eu • info@cleveron.eu • +372 609 1671
Reinu tee 48, 71020 Viljandi, Estonia

bell howell

bellhowell.net

800-961-7358

3791 South Alston Ave,
Durham, NC 27713

© 2016 Bell and Howell, LLC. All rights reserved. Bell and Howell and the Bell and Howell logo are trademarks or registered trademarks of Bell and Howell, LLC. All other marks are the property of their respective owners. Specifications are subject to change without notice. Actual performance results may vary.

BH_PARC_DSHT_1006_17_OCT_2018